

Technical Data Sheet

Adensa NVH 6001 Barrier

Filled Heavy Layer Acoustic Barrier

Description Adensa 6001 is a low fog filled thermoplastic ethylene copolymer that provides acoustical

sound barrier performance in automotive, construction, and industrial applications.

Applications Extruded sheets and rolls for NVH applications

Key Benefits

• Designed as an acoustic barrier

Formulated for thermoforming and die cutting applications
 Pthalate-free alternative to Mass Loaded Vinyl (Filled PVC)

Forms • Extruded sheets and rolls

• From 14" to 78" wide

Appearance Black

Typical Properties* Property Nominal Method

rioperty	Nominai	IVICTIOU
Density	1.74 g/cc	ASTM D792
Ash Content	65 %	ASTM D5630
Tensile Strength	857.3 PSI	ASTM D638
Tear Strength	243.4 lb-f/-in	ASTM D624
Elongation	NB; > 300 %	ASTM D638
Hardness (Shore A)	83	ASTM D2240-15

^{*}Properties tested on a 0.0231" extruded sample

Adhesion & Adensa 6001 is a polar material and can be extruded and laminated to most substrates

Lamination without additional corona or flame treatment.

Processing
InformationThermoforming
Forming TempratureValue (English)
240 - 260 °FValue (SI)115 - 126 °C

Please contact your Highland Sales Representative to request regulatory information and safety data sheet.

Disclaimer

The information contained in this document is for informational purposes only and should not be used as a substitute for testing to ensure that this product is suitable for its intended use. It is the sole responsibility of the user to determine the suitability of this product for the uses and applications intended by the user or others, to ensure compliance with all federal, state, and local laws, rules, and regulations, and to obtain all necessary certifications, permits, and authorizations. All products supplied by Highland Plastics, Inc. or any of its affiliates or subsidiaries are subject to Highland Plastics, Inc.'s terms and conditions of sale. Highland Plastics does not make, and expresssly disclaims, any warranty, express or implied, concerning the product, including the merchantability or fitness of the product for any particular purpose, or concerning the accuracy of any information provided herein. Nothing contained herein constitutes an offer for the sale of any product.





Technical Data Sheet

Adensa NVH 6001 Barrier

Filled Heavy Layer Acoustic Barrier

Notes

Highland Adensa materials are high performance filled compounds formulated to meet a variety of OEM specifications. They are designed to be easy to process, and are available in more than 12 different off-the-shelf varieties.

Custom Adensa blends can also be formulated for your requirements.

Contact the Highland sales team to learn more at: contact@highlandplastics.com

Disclaimer:

The information contained in this document is for informational purposes only and should not be used as a substitute for testing to ensure that this product is suitable for its intended use. It is the sole responsibility of the user to determine the suitability of this product for the uses and applications intended by the user or others, to ensure compliance with all federal, state, and local laws, rules, and regulations, and to obtain all necessary certifications, permits, and authorizations. All products supplied by Highland Plastics, Inc. or any of its affiliates or subsidiaries are subject to Highland Plastics, Inc.'s terms and conditions of sale. Highland Plastics does not make, and expresssly disclaims, any warranty, express or implied, concerning the product, including the merchantability or fitness of the product for any particular purpose, or concerning the accuracy of any information provided herein. Nothing contained herein constitutes an offer for the sale of any product.

